
LEAD FREE

REV.	DESCRIPTION	DATE	BY	ECO
Α	INITIAL RELEASE	3/11/15	KI	4391
В	REPLACED 6130.0021 WITH 6130.0026	7/19/2019	D. WEBSTER	4871
С	UPDATED HEAT SHRINK SIZE	11/5/2019	D. WEBSTER	4916



NOTES:

- 1. ALL COMPONENTS AND PROCESSES MUST BE ROHS COMPLIANT, INCLUDING LEAD-FREE SOLDER.
- 2. COMPLETED CABLE ASSEMBLY MUST COMPLY WITH IPC-A-620 CLASS 2.
- 3. TEST CABLE FOR SHORTS AND OPENS.
- 4. ALL EQUIVALENCIES MUST BE APPROVED BY PCB ENGINEERING.

5. Label (3255.0007)Cable assembly with part numbers and revision; 10 pt. arial min.

- UNLESS OTHERWISE NOTED, ASSEMBLE CABLE TO CONNECTORS ACCORDING TO CONNECTOR MANUFACTURER'S SPECIFICATIONS.
- BAG THE COMPLETED CABLE ASSEMBLY AND TAG WITH THE PART NUMBER, REVISION, AND DATE CODE.

PROPRIETARY AND CONFIDENTIAL THIS DOCUMENT, SUBMITTED IN CONFIDENCE, CONTAINS PROPRIETARY INFORMATION WHICH SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF PCB PIEZOTRONICS, INC. COPYRIGHT © PCB PIEZOTRONICS, INC. [FILE NAME: CBL215 CABLE DUAL BATTERY INTERCONNECT 20 IN

Provo, Utah, USA (801) 375-0177

TITLE

CABLE DUAL BATTERY
INTERCONNECT 20 IN.

INTERCONNECT 20 IN.

SIZE NUMBER CBL 215
SCALE 3:4 SHEE

AUTHOR

KEN ISLE

3/11/2015

SHEET 1 OF 1